



## FILMTEC MEMBRANES

Part Number	Stabilized Rejection	Quantity Pricing (each)					Size (inches)Diam x Length	Flow Rate GPD
		1 TO 20	12 TO 24	25 TO 49	50 TO 149	150+		
TW30-1812-24	98	\$	\$	\$	\$	\$	1.75 x 11.75	24
TW30-1812-36	98	\$	\$	\$	\$	\$	1.75 x 11.75	36
TW30-1812-50HR	98	\$	\$	\$	\$	\$	1.75 x 11.75	50
BW60-1812-75	99	\$	\$	\$	\$	\$	1.75 x 11.75	75
TW30-1812-100HR	98	\$	\$	\$	\$	\$	1.75 x 11.75	100
TW30-3812-500	98	\$	\$	\$	\$	\$	2.95 x 11.74	500

Part Number	Size (Inches)Diam x Length	Square Feet	Test PSI	Flow GPD	Stabilized Rejection	Quantity Pricing (each)	
						1 TO 20	25+
TW30-2026	1.8 x 26	7	225	220	99.5	\$	\$
TW30-2514	2.5 x 14	7	225	200	99.5	\$	\$
TW30-2521	2.5 x 21	13	225	325	99.5	\$	\$
XLE-2521	2.5 x 21	13	100	365	99.0	\$	\$
TW30HP2526-clone	2.5 x 26	-	225	600	99.0	\$	\$
BW30-2540	2.5 x 40	28	225	1000	99.5	\$	\$
TW30-2540	2.5 x 40	28	225	850	99.5	\$	\$
XLE-2540	2.5 x 40	28	100	850	99.0	\$	\$
TW30-4014	4.0 x 14	20	225	525	99.5	\$	\$
TW30-4021	4.0 x 21	36	225	900	99.5	\$	\$
XLE-4021	4.0 x 21	36	100	1025	99.0	\$	\$
BW30-4040	4.0 x 40	82	225	2400	99.5	\$	\$
LC HR-4040	4.0 x 40	94	225	2900	99.5	\$	\$
LC LE-4040	4.0 x 40	94	125	2500	99.1	\$	\$
TW30-4040	4.0 x 40	82	225	2400	99.5	\$	\$

XLE-4040	4.0 x 40	87	100	2600	99.0	\$	\$
BW30-365	8.0 x 40	365	225	9500	99.5	\$	\$
BW30-400	8.0 x 40	400	225	10500	99.5	\$	\$
BW30-400/34	8.0 x 40	400	225	10500	99.5	\$	\$
BW30-400/34 <i>i</i>	8.0 x 40	400	225	10500	99.5	\$	\$
BW30XFR-400/34	8.0 x 40	400	225	10500	99.6	\$	\$
BW30XFR-400/34	8.0 x 40	400	225	11500	99.6	\$	\$
BW30XFRLE-400/34	8.0 x 40	400	150	11500	99.3	\$	\$
BW30XFRLE-400/34 <i>i</i>	8.0 x 40	400	150	11500	99.3	\$	\$
BW30HR-440	8.0 x 40	440	225	12650	99.7	\$	\$
BW30HR-440 <i>i</i>	8.0 x 40	440	225	12650	99.7	\$	\$
BW30HR LE-440	8.0 x 40	440	150	12650	99.3	\$	\$
BW30HR LE-440	8.0 x 40	440	150	12650	99.3	\$	\$
BW30HR LE-440 <i>i</i>	8.0 x 40	440	150	12650	99.3	\$	\$
XLE-440	8.0 x 40	400	125	14000	99.0	\$	\$
XLE-440 <i>i</i>	8.0 x 40	440	125	14000	99.0	\$	\$
HSRO-4040-FF	4.0 x 40	90	150	1900	99.5	\$	\$
RO-4040-FF	4.0 x 40	85	225	2650	99.5	\$	\$
HSRO-390-FF	8.0 x 40	390	150	9000	99.5	\$	\$
RO-390-FF	8.0 x 40	390	225	11500	99.5	\$	\$
SW30-2514	2.5 x 14	6.5	800	150	99.4	\$	\$
SW30-2521	2.5 x 21	13	800	300	99.4	\$	\$
SW30-2540	2.5 x 40	29	800	700	99.4	\$	\$
SW30-4021	4.0 x 21	33	800	800	99.4	\$	\$
SW30-4040	4.0 x 40	80	800	1950	99.4	\$	\$
SW30HR LE-4040	4.0 x 40	80	800	1600	99.6	\$	\$
SW30-6040	6.0 x 40	-	800	2100	99.4	\$	\$
SEAMAXX 440i	8.0 x 40	440	800	17000	99.70	\$	\$
SW30-8040	8.0 x 40	300	800	6000	99.60	\$	\$
SW30HR-380	8.0 x 40	380	800	6500	99.70	\$	\$
SW30HRLE-370/34	8.0 x 40	370	800	6700	99.80	\$	\$
SW30HRLE-370/34 <i>i</i>	8.0 x 40	370	800	6700	99.80	\$	\$
SW30HR LE-400	8.0 x 40	400	800	7500	99.80	\$	\$
SW30HR LE-400 <i>i</i>	8.0 x 40	400	800	7500	99.80	\$	\$
SW30HR LE-440	8.0 x 40	400	800	8000	99.80	\$	\$
SW30HR LE-440 <i>i</i>	8.0 x 40	400	800	8000	99.80	\$	\$
SW30ULE-400	8.0 x 40	400	800	8400	99.60	Special Order	
SW30ULE-400 <i>i</i>	8.0 x 40	400	800	8400	99.60	\$	\$

SW30ULE-440	8.0 x 40	440	800	12000	99.70	\$	\$
SW30ULE-440 <i>i</i>	8.0 x 40	440	800	12000	99.70	\$	\$
SW30XHR-400	8.0 x 40	400	800	6000	99.82	Special Order	
SW30XHR-400 <i>i</i>	8.0 x 40	400	800	6000	99.82	\$	\$
SW30XHR-440	8.0 x 40	440	800	6600	99.82	\$	\$
SW30XHR-440 <i>i</i>	8.0 x 40	440	800	6600	99.82	\$	\$
SW30XLE-400	8.0 x 40	400	800	9000	99.80	Special Order	
SW30XLE-400 <i>i</i>	8.0 x 40	400	800	9000	99.80	\$	\$
SW30XLE-440	8.0 x 40	400	800	9900	99.80	\$	\$
SW30XLE-440 <i>i</i>	8.0 x 40	400	800	9900	99.80	\$	\$
NF90-2540	2.5 x 40	28	70	680	97	\$	\$
NF270-2540	2.5 x 40	28	70	850	97	\$	\$
NF90-4040	4.0 x 40	82	70	2000	97	\$	\$
NF270-4040	4.0 x 40	82	70	2500	97	\$	\$
NF90-400/34 <i>i</i>	8.0 x 40	400	70	10000	97	\$	\$
NF270-400/34 <i>i</i>	8.0 x 40	400	70	12500	97	\$	\$

**BW:** Brackish Water (fiberglass wrap)

**FF:** Full Fit (Food or Pharmaceutical)

**FR:** Fouling Resistant

**HP:** High Production

**HR:** High Rejection

**HS:** Heat Sanitizable

**LE, LP or XLE:** Low Energy / Pressure

**NF:** Nanofilter

**SG:** Semiconductor Grade

**SW:** Sea Water

**TW:** Tap Water

**COMMERCIAL PRESSURE VESSELS**

PVC			Fiberglass			Stainless Steel			Fiberglass		
2514	230 psi	\$	4014	400 psi	\$	2514	300 psi	\$	2514	1000 psi	\$
2521	230 psi	\$	4021	400 psi	\$	2521	300 psi	\$	2521	1000 psi	\$
2540	230 psi	\$	4040	285 psi	\$	2540	300 psi	\$	2540	1000 psi	\$
4014	230 psi	\$	4040	300 psi	\$	4014	300 psi	\$	4014	1000 psi	\$
4021	230 psi	\$	4040	400 psi	\$	4021	300 psi	\$	4021	1000 psi	\$
4040	230 psi	\$				4040	300 psi	\$	4040	1000 psi	\$